Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3333	SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 09:36
S2	104	TN3270	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 10:33
S3	2769	709/220	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 14:02
S4	3910	709/227	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:37
S5	171	709/227 and SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 14:07
S6	29	709/227 and TN3270	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 11:26
S7	1	09/773437	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 14:38
S8	8	09/640438	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 14:39
S9	2675	devine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 14:40

S10	3	09/640438 and devine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 15:00
S11	19	(($3establish$3 $3connect$3 preserv$3) adj session) same ((lose loss lost) near (session connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:41
S12	2887	(($3establish$3 $3connect$3 preserv$3) adj session)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 15:36
S13	4672	((lose loss lost) near (session connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 15:36
S14	124	(($3establish$3 $3connect$3 preserv$3) adj session) and ((lose loss lost) near (session connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 15:37
S15	3333	SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 15:37
S16	9	((($3establish$3 $3connect$3 preserv$3) adj session) and ((lose loss lost) near (session connection))) and SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 11:06
S17	2	"6205498".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 09:32
S18	177	(($3establish$3 $3connect$3 preserv$3) adj (session connection)) same ((lose loss lost) near (session connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 16:46
S19	3	(($3establish$3 $3connect$3 preserv$3) adj (session connection)) same ((lose loss lost) near (session connection)) and SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 16:54

S20	14	TN3270E	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 16:56
S21	104	TN3270	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 16:56
S22	1	((($3establish$3 $3connect$3 preserv$3) adj (session connection)) same ((lose loss lost) near (session connection))) and TN3270	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:14
S23	71	((($3establish$3 $3connect$3 preserv$3) adj (session connection)) same ((lose loss lost) near (session connection))) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:15
S24	61	((($3establish$3 $3connect$3 preserv$3) adj (session connection)) same ((lose loss lost) near (session connection))) and server and client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 10:52
S25	1	709/227 and TN3270 and (($3establish$3 $3connect$3 preserv$3) adj (session connection)) same ((lose loss lost) near (session connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:17
S26	16	709/227 and (($3establish$3 $3connect$3 preserv$3) adj (session connection)) same ((lose loss lost) near (session connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:40
S27	4	709/227 and ((IP same ($3establish$3 $3connect$3 preserv$3) adj (session connection))) same (IP same ((lose loss lost) near (session connection)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:28
S28	16	709/227 and ((($3establish$3 $3connect$3 preserv$3) adj (session connection))) same (((lose loss lost) near (session connection)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:29
S29	215	"legacy host" "legacy server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:40

S30	82152	(($3establish$3 $3connect$3 preserv$3) adj (session connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:41
S31	97	("legacy host" "legacy server") and ((($3establish$3 $3connect$3 preserv$3) adj (session connection)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/07 17:41
S32	1	((($3establish$3 $3connect$3 preserv$3) adj (session connection)) same ((lose loss lost) near7 (IP near5 (session connection)))) and server and client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 10:53
S33	1	((($3establish$3 $3connect$3 preserv$3) adj (session connection)) same ((lose loss lost) near7 (IP near5 (session connection))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 10:53
S34	5	((($3establish$3 $3connect$3 preserv$3) adj (session connection)) same ((break broken lose loss lost) near7 (IP near5 (session connection))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 11:05
S35	3	(((reestablish$3 reconnect$3 preserv$3) adj (session connection)) same ((break broken lose loss lost) near7 (IP near5 (session connection))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 11:25
S36	20	709/227 and TN3270 and SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 13:29
S37	2	"5754830".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:08
S38	5	(709/227) and ((reconnect reestablish preserve) near3 (TN3270 server client)) and (SNA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/08 14:53
S39	10	"4403286".pn. or "4495570".pn. or "4577272".pn. or "5031089". pn. or "5675739".pn. or "5917997".pn. or "5923854".pn. or "5935215".pn. or "5951650". pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/06/08 14:55

S40	4	LUSTAT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 09:30
S41	1614	connection near3 recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:43
S42	22	(connection near3 recovery) and SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 10:11
S43	2	"5935215".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:36
S44	5280	709/223	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:37
S45	5536	709/224	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:37
S46	2010	709/223 and 709/224	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:37
S47	1615	709/249	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:37
S48	173	(709/223 and 709/224) and 709/249	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:37
S49	3927	709/227	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:37

S50	67	((709/223 and 709/224) and 709/249) and 709/227	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:37
S51	10	(((709/223 and 709/224) and 709/249) and 709/227) and SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:38
S52	1338	connection near3 (replace replacing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 11:44
S53	5	(connection near3 (replace replacing)) and sna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 13:45
S54	3	TN3270	IBM_TDB	OR	OFF	2004/06/09 14:29
S55	258	"3270"	IBM_TDB	OR	OFF	2004/06/09 14:29
S56	255	"3270" not TN3270	IBM_TDB	OR	OFF	2004/06/09 14:30
S57	6	("3270" not TN3270) same refresh	IBM_TDB	OR	OFF	2004/06/09 14:34
S58	49	"3270" same (IP SNA)	IBM_TDB	OR	OFF	2004/06/09 14:36
S59	17	"3270" same (IP SNA)and connection	IBM_TDB	OR	OFF	2004/06/09 16:00
S60	1	reestablish near3 IP near3 connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:01
S61	2	reconnect near5 IP near5 connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:02
S62	14	reconnect near5 IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:03
S63	56	screen near5 refresh near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:04

S64	49	screen near3 refresh near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:10
S65	1	forward near20 (screen near3 refresh near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:11
S66	1	forward same (screen near3 refresh near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:11
S67	1	forward same (refresh near5 request) near20 SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:12
S68	1	forward same (refresh near5 request) near20 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 16:12
S69	25	forward same (refresh near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 17:14
S70	1	$3connect$3 adj (TN3270E near20 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 17:15
S71	2	$3connect$3 adj (TN3270 near20 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 17:15
S72	1	establish near10 (TN3270 near20 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 17:16
S73	8	$3connect$3 near10 (TN3270 near20 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/09 17:16

S74	2	"6031978".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 11:44
S75	65	connect same "3270"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 11:45
S76	199	connection same "3270"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 11:45
S77	177	session same "3270"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 11:45
S78	1	(new adj session) same "3270"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 11:46
S79	68	(connection same "3270") and (session same "3270")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 13:58
S80	2	"5802278".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 13:30
S81	3891	forward near4 (refresh request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 14:06
S82	3333	forward near3 (refresh request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 14:06
S83	5	forward near3 (refresh adj request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 15:09

S84	17	(forward pass) near4 (refresh adj request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 14:14
S85	12	((forward pass) near4 (refresh adj request)) not (forward near3 (refresh adj request))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 14:07
S86	43	(transfer tranmit) near4 (refresh adj request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 14:15
S87	85	forward near3 (refresh)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 15:09
S88	54	forward near2 (refresh)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 15:13
S89	5982	(forward forwards) near2 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 15:14
S90	4	(forward forwards) near2 (refresh adj request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 15:14
S91	5	(forward forwards) near5 (refresh adj request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 15:14
S92	135	(forward forwards) near5 (refresh)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 15:14
S93	50	((forward forwards) near5 (refresh)) not (forward near3 (refresh))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 15:18

S94	7	screen adj (update) adj request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 15:21
S95	18	(forward forwards) near3 ((update) adj request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/10 15:21
S96	1	"6137783".pn.	USPAT	OR	OFF	2004/06/10 16:39
S97	4	LUSTAT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 11:52
S98	0	"86034482"	IBM_TDB	OR	OFF	2004/06/14 11:53
S99	1	NN86034482	IBM_TDB	OR	OFF	2004/06/14 11:53
S100	2	"6014702".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 13:33
S101	3750	logon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 13:33
S102	136777	authentic$6 validat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 13:33
S103	450	logon near3 (authentic$6 validat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 13:34
S104	3338	SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 13:34
S105	10	(logon near3 (authentic$6 validat$5)) and SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 14:00

S106	857	(send$3 forward$3 reply replies replying) near3 (recent previous last) near3 (screen data page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 14:01
S107	12	((send$3 forward$3 reply replies replying) near3 (recent previous last) near3 (screen data page)) and SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 14:24
S108	15	((send$3 forward$3 reply replies replying) near3 (recent previous last) near3 (screen data page)) same correct	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 14:25
S109	15	(((send$3 forward$3 reply replies replying) near3 (recent previous last) near3 (screen data page)) same correct) not (((send$3 forward$3 reply replies replying) near3 (recent previous last) near3 (screen data page)) and SNA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 14:18
S110	0	((send$3 forward$3 reply replies replying) near3 (duplicate) near3 (screen data page)) same correct	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 14:24
S111	1047	((send$3 forward$3 reply replies replying) near3 (duplicate copy) near3 (screen data page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 14:24
S112	110	((send$3 forward$3 reply replies replying) near3 (duplicate) near3 (screen data page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 16:13
S113	1	((send$3 forward$3 reply replies replying) near9 (duplicate copy) near3 (recent previous last) near3 (screen data page)) same correct	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 14:28
S114	14	((send$3 forward$3 reply replies replying) near9 (duplicate copy) near3 (recent previous last) near3 (screen data page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 14:32
S115	14	((send$3 forward$3 reply replies replying) near9 (duplicate replicated copy) near3 (recent previous last) near3 (screen data page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 14:33

S11 6	16	((send$3 forward$3 reply replies replying) near9 (duplicate replicated copy) near3 (recent previous last) near3 (screen data page entry update))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 14:33
S11 7	2	(((send$3 forward$3 reply replies replying) near9 (duplicate replicated copy) near3 (recent previous last) near3 (screen data page entry update))) not (((send$3 forward$3 reply replies replying) near9 (duplicate replicated copy) near3 (recent previous last) near3 (screen data page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 14:33
S11 8	22411	((send$3 forward$3 reply replies replying) near6 again)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 16:13
S11 9	77	((send$3 forward$3 reply replies replying) near6 again) and SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 16:13
S12 0	2	(connection near3 request) near5 (LU adj name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 10:15
S12 1	11	timemark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 10:16
S12 2	53	time-mark	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 10:27
S12 3	318	(first adj (TCP/IP IP TCP)) with (second adj (TCP/IP IP TCP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 10:28
S12 4	4	((first adj (TCP/IP IP TCP)) with (second adj (TCP/IP IP TCP))) with (query poll)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 10:32

S125	6	((first adj (TCP/IP IP TCP)) with (second adj (TCP/IP IP TCP))) with (query question poll)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 10:33
S126	7	((first adj (TCP/IP IP TCP)) same (second adj (TCP/IP IP TCP))) with (query question poll)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 10:33
S127	22	((first adj (TCP/IP IP TCP connection)) same (second adj (TCP/IP IP TCP connection))) with (query question poll)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 11:15
S128	4	((first adj (TCP/IP IP TCP connection)) same (second adj (TCP/IP IP TCP connection))) with ((time adj out) timeout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 11:17
S129	8	((TCP/IP IP TCP connection) same (second adj (TCP/IP IP TCP connection))) with ((time adj out) timeout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 11:19
S130	2211	(TCP/IP IP TCP connection) with ((time adj out) timeout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 11:20
S131	5	(TCP/IP IP TCP connection) with ((time adj out) timeout) same SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 11:21
S132	58	(TCP/IP IP TCP connection) with ((time adj out) timeout) with first with second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 11:21
S133	12	(TCP/IP IP TCP) with ((time adj out) timeout) with first with second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 11:23
S134	51	(TCP/IP IP TCP) with ((time adj out) timeout) with (first second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 11:24

S13 5	18	(TCP/IP IP TCP) near6 ((time adj out) timeout) with (first second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 11:26
S13 6	49	(TCP/IP) near6 ((time adj out) timeout)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 13:44
S13 7	2135	server with query with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 13:44
S13 8	97	server with query with client with (IP TCP TCP/IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 13:46
S13 9	18	(server with query with client with (IP TCP TCP/IP)) and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 13:53
S14 0	504	server adj query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 13:52
S14 1	1	(server adj (query queries) with client with (IP TCP TCP/IP)) and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 13:53
S14 2	5	(server adj (query queries) with client with (IP TCP TCP/IP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 13:55
S14 3	18	(server adj (query queries) with client) and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 13:56
S14 4	1	(server adj (query queries) adj client) and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 13:56

S145	20	(server adj (query queries) adj client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 14:06
S146	2	"5727159".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 14:10
S147	44	resume adj connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 14:11
S148	4	(resume adj connection) and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 14:13
S149	1	((server adj resume) with connection) and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 14:14
S150	2	((server adj resume) same connection) and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 14:15
S151	1	((server adj resumes) same connection) and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/16 14:15
S152	3	((server adj resumes) same connection) and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 14:16
S153	1983	(server near4 ("new connection" connection)) and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 14:17
S154	99	(server near4 ("new connection")) and timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 14:17

S15 5	7	(server near4 ("new connection")) same timeout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 14:45
S15 6	1	client with ((automatically adj responds) (automatic adj response)) near10 query	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 14:48
S15 7	65	client with ((automatically adj responds) (automatic adj response))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 14:46
S15 8	12	client with ((automatically adj responds) (automatic adj response)) near10 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 15:04
S15 9	1	client with (timemark) near10 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 15:46
S16 0	152	client with ((time adj stamp) timestamp) near10 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 16:02
S16 1	1	(client with ((time adj stamp) timestamp) near10 request) and SNA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 15:47
S16 2	4	(client with ((time adj stamp) timestamp) near10 request) near10 (automatic automatically)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 15:48
S16 3	168	((time adj stamp) timestamp) adj request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 16:02
S16 4	15	(((time adj stamp) timestamp) adj request) near10 client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 16:04

S16 5	16	(request adj ((time adj stamp) timestamp)) near10 client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 16:16
S16 6	8	hadland.in.	USPAT	OR	OFF	2004/06/16 16:17
S16 7	18	"X.509" adj certificate with ("authentic" "authenticate" "authenticated")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 10:54
S16 8	13	("X.509" adj certificate with ("authentic" "authenticate" "authenticated")) and (TCP/IP TCP IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 10:54
S16 9	1	("X.509" adj certificate with ("authentic" "authenticate" "authenticated")) same (TCP/IP TCP IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 10:55
S17 0	1	("X.509" adj certificate with ("authentic" "authenticate" "authenticated" "validate" validated)) same (TCP/IP TCP IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 10:55
S17 1	5	("X.509" with ("authentic" "authenticate" "authenticated" "validate" validated)) same (TCP/IP TCP IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 13:01
S17 2	29	"X.509" with (TCP/IP TCP IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 17:32
S17 3	11	"X.509" with ("authentic" "authenticated" "authenticate" "valid" "validate" "validated") same (query request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 13:38
S17 4	1013	"X.509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 17:32

S17 5	251	"X.509" adj certificate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 17:32
S17 6	2	"5896499".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 09:58
S17 7	2	"6405254".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 10:13
S17 8	1	forward adj screen adj refresh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 10:14
S17 9	2	(send forward) adj screen adj refresh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 10:15
S18 0	2	(send forward) adj screen adj (refresh update reload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 10:16
S18 1	2	(transfer) adj screen adj (refresh update reload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 10:26
S18 2	507	(transfer forward) adj (refresh update reload)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 10:26
S18 3	690	(transfer forward) adj (screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 10:26
S18 4	233	(forward) adj (screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 10:28

S18 5	934	screen adj refresh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 10:28
S18 6	566	(forward send update transfer) near3 (screen adj (refresh update))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 11:13
S18 7	537	(forward send update transfer) near3 (screen adj (update))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 11:14
S18 8	33	(forward send update transfer) near3 (screen adj (refresh))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 11:14
S18 9	4	(forward send transfer) near3 (screen adj (update))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/21 11:14

S24 1	81	(US-3571530-$ or US-3811015-$ or US-4797676-$ or US-4807196-$ or US-4882683-$ or US-4893307-$ or US-4910733-$ or US-4949248-$ or US-5023873-$ or US-5063562-$ or US-5121390-$ or US-5325361-$ or US-5347632-$ or US-5553083-$ or US-5566287-$ or US-5606705-$ or US-5611048-$ or US-5655152-$ or US-5682478-$ or US-5692126-$ or US-5727057-$ or US-5727159-$ or US-5754830-$ or US-5758084-$ or US-5793983-$ or US-5802278-$).did. or (US-5802293-$ or US-5822768-$ or US-5828333-$ or US-5835721-$ or US-5935215-$ or US-5940067-$ or US-5940771-$ or US-5958013-$ or US-5974409-$ or US-5987430-$ or US-6012052-$ or US-6014669-$ or US-6014702-$ or US-6028600-$ or US-6031978-$ or US-6076110-$ or US-6085238-$ or US-6088707-$ or US-6088738-$ or US-6097401-$ or US-6105027-$ or US-6128601-$ or US-6128662-$ or US-6130660-$ or US-6137783-$ or US-6145001-$ or US-6148049-$).did. or (US-6205498-$ or US-6216101-$ or US-6233565-$ or US-6247055-$ or US-6279001-$ or US-6381654-$ or US-6400631-$ or US-6405254-$ or US-6415353-$ or US-6477382-$ or US-6490251-$ or US-6490618-$ or US-6567668-$ or US-6574239-$ or US-6597701-$ or US-6601087-$ or US-6609198-$ or US-6628645-$ or US-6681327-$ or US-6707567-$).did. or (EP-469197-$).did. or (NB9209258 or NB930617 or NN86034419 or NN86034482 or NN8804238 or NNRD410137 or NNRD422115). tban.	USPAT; DERWENT; IBM_TDB	OR	ON	2005/05/24 08:28
S24 2	7	(NB9209258 or NB930617 or NN86034419 or NN86034482 or NN8804238 or NNRD410137 or NNRD422115).tban.	IBM_TDB	OR	ON	2005/05/24 17:44
S24 3	5	S242 and SNA	IBM_TDB	OR	ON	2005/05/24 08:28
S24 4	6	S242 and "3270"	IBM_TDB	OR	ON	2005/05/24 08:34
S24 5	5	S242 and "3270" and SNA	IBM_TDB	OR	ON	2005/05/24 08:57

S246	0	S242 and LUSTAT	IBM_TDB	OR	ON	2005/05/24 08:29
S247	0	S241 and LUSTAT	IBM_TDB	OR	ON	2005/05/24 08:29
S248	1	LUSTAT	IBM_TDB	OR	ON	2005/05/24 08:29
S249	4	LUSTAT	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 08:29
S251	1	"6546425".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:05
S252	6	reconnect near3 TCP/IP	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:06
S253	5	reconnect near3 IP near2 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:07
S254	7	reconnect$ near3 IP near2 connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:07
S255	2991	connect$ near3 IP near2 connection same server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:07
S256	28	connect$ near3 IP near2 connection same server same (connection near3 (lost loses losing broken dropped))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:23
S259	30770	re$1connect$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:25
S260	1	re$1connect$ near3 IP near2 connection same server same (connection near3 (lost loses losing broken dropped))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:26
S262	1	re$1connect$ near3 IP near2 connection same (connection near3 (lost loses losing broken dropped))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:26
S263	2	re$1connect$ near3 IP same (connection near3 (lost loses losing broken dropped))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:27

S264	0	re$1connect$ near3 IP same (log$2n)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:27
S265	0	re$1connect$ near3 IP same (log$1n)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:27
S266	0	re$1connect$ near3 IP same (login)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:27
S267	0	re$1connect$ with IP same (login)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:28
S268	0	re$1connect$ with (TCP IP TCP/IP) same (login)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:28
S269	4	re$1connect$ with (TCP IP TCP/IP) same (password)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:29
S270	182	re$1connect$ same (password)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:30
S271	62	re$1connect$ same (password) same application	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:30
S272	15	re$1connect$ same (password) same application with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:33
S273	285	re$1connect$ same application with server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:33
S274	71	(re$1connect$ same application with server) and ((updat$ refresh$) with (screen window display output))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:35
S275	7	(re$1connect$ same application with server) and (((updat$ refresh$) with (screen window display output)) same (last previous))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:40

S27 6	13	(re$1connect$ same application) and (((updat$ refresh$) with (screen window display output)) same (last previous))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:41
S27 7	6	S276 not S275	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:44
S27 8	28	reload$ with ((previous last recent) with (screen display))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:44
S27 9	0	reload$ with ((previous last recent) with (screen display)) same connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:46
S28 0	16	(re$1connect$ re$1load$) same telnet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:49
S28 1	3762	telnet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:49
S28 2	31	telnet same lost	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:49
S28 3	31	telnet same ((lost broken) same connection)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:56
S28 4	230	telnet same (restor$ maintain$ preserv$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 09:56
S28 5	16	telnet same ((restor$ maintain$ preserv$) with session)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 10:10
S28 6	766	telnet same session	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 10:10
S28 7	375	telnet same session same (TCP IP TCP/IP)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 10:11

S288	10	telnet same session same (reestablish$ restor$ reconnect$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 10:11
S290	1	"5325361".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:26
S291	1	"6405254".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:33
S292	37	remote with (logon login log-on log-in) near5 screen	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:34
S293	1	remote with (logon login log-on log-in) near5 screen and telnet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 14:34
S294	6	(logon login log-on log-in) near5 screen same telnet	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 15:58
S295	636	(logon login log-on log-in) same (remote with (application program))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 16:00
S296	12	(receive with (logon login log-on log-in)) same (remote with (application program))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 16:17
S297	7	((receive with (logon login log-on log-in)) with (application program)) same remote	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 16:19
S298	18	(((send receive) with (logon login log-on log-in)) with (application program)) same remote	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 16:25
S299	11	S298 not S297	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 16:19
S300	479	((send receive) with (logon login log-on log-in)) with (screen terminal window)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 16:26

S30 1	12	((send receive) with (logon login log-on log-in)) with (screen terminal window) with remote	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 16:36
S30 2	1	"6014702".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 16:30
S30 3	220	(logon login log-on log-in) with (screen terminal window) with remote	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 16:36
S30 4	4	(logon login log-on log-in) with (screen terminal window) with (remote adj application)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 16:37
S30 5	14	(logon login log-on log-in) with (screen terminal window) same (remote adj application)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/24 16:37
S30 6	9	("5689638" | "5999711" | "6119230" | "6128738" | "6182142" | "6353886" | "6401211" | "6484258" | "6598167").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/24 16:41
S30 7	9	S306 and (logon login log-on log-in)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/24 16:43
S30 8	9	S306 and ((logon login log-on log-in) same (remote application))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/24 16:44
S30 9	5	S306 and ((logon login log-on log-in) with (remote application))	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/24 16:44
S31 0	7	(NB9209258 or NB930617 or NN86034419 or NN86034482 or NN8804238 or NNRD410137 or NNRD422115).tban.	IBM_TDB	OR	ON	2005/05/24 17:44
S31 1	1	S310 and (logon login log-in log-on (log adj (on in)))	IBM_TDB	OR	ON	2005/05/24 17:47
S31 2	0	S307 and (logon login log-in log-on (log adj (on in)))	IBM_TDB	OR	ON	2005/05/24 17:48
S31 4	0	S307 and (logon login log-in log-on)	IBM_TDB	OR	ON	2005/05/25 10:16
S31 5	9	(logon login log-in log-on) near3 screen	IBM_TDB	OR	ON	2005/05/25 10:16
S31 6	16	(logon login log-in log-on) near3 (screen window)	IBM_TDB	OR	ON	2005/05/25 10:16

S31 7	2766	(logon login log-in log-on) near3 (screen window)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:17
S31 8	137	(logon login log-in log-on) near3 (screen window) same (LUSTAT status)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:17
S31 9	0	(logon login log-in log-on) near3 (screen window) same (LUSTAT status) same (remote adj (application program process))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:18
S32 0	53	(logon login log-in log-on) near3 (screen window) same (LUSTAT status) same (application program process)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:19
S32 2	3	((logon login log-in log-on) near3 (screen window)) same (LUSTAT status) same (remote)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:19
S32 3	82	((logon login log-in log-on) near3 (screen window)) same (application program process) same (remote)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 10:20
S32 5	32	((logon login log-in log-on) near3 (screen window)) same ((application program process) near3 (remote))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 11:01
S32 6	7	(NB9209258 or NB930617 or NN86034419 or NN86034482 or NN8804238 or NNRD410137 or NNRD422115).tban.	IBM_TDB	OR	ON	2005/05/25 10:22
S32 7	1	"6374207".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 13:09
S32 8	1	"20020103909".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/25 13:10

| S329 | 102 | (US-20020103909-$).did. or (US-3571530-$ or US-3811015-$ or US-4797676-$ or US-4807196-$ or US-4882683-$ or US-4893307-$ or US-4910733-$ or US-4949248-$ or US-5023873-$ or US-5063562-$ or US-5121390-$ or US-5323444-$ or US-5325361-$ or US-5347632-$ or US-5553083-$ or US-5566287-$ or US-5606705-$ or US-5611048-$ or US-5655152-$ or US-5682478-$ or US-5692126-$ or US-5727057-$ or US-5727159-$ or US-5754752-$ or US-5754830-$ or US-5758084-$).did. or (US-5793983-$ or US-5796393-$ or US-5802278-$ or US-5802293-$ or US-5822768-$ or US-5828333-$ or US-5832510-$ or US-5835721-$ or US-5881239-$ or US-5935215-$ or US-5940067-$ or US-5940771-$ or US-5958013-$ or US-5974409-$ or US-5987430-$ or US-5999711-$ or US-6012052-$ or US-6014669-$ or US-6014702-$ or US-6028600-$ or US-6031978-$ or US-6065116-$ or US-6076110-$ or US-6085238-$ or US-6088707-$ or US-6088738-$ or US-6097401-$).did. or (US-6105027-$ or US-6119230-$ or US-6128601-$ or US-6128662-$ or US-6128738-$ or US-6130660-$ or US-6137783-$ or US-6145001-$ or US-6148049-$ or US-6182142-$ or US-6205498-$ or US-6216101-$ or US-6233565-$ or US-6247055-$ or US-6279001-$ or US-6330607-$ or US-6381654-$ or US-6400631-$ or US-6405254-$ or US-6415353-$ or US-6430562-$ or US-6477382-$ or US-6490251-$ or US-6490618-$ or US-6515974-$ or US-6546425-$ or US-6567668-$).did. or (US-6574239-$ or US-6597701-$ or US-6598167-$ or US-6601087-$ or US-6609198-$ or US-6628645-$ or US-6628771-$ or US-6681327-$ or US-6707567-$ or US-6826603-$ or US-6829642-$ or US-6211877-$ or US-6374207-$).did. or (EP-469197-$).did. or (NB9209258 or NB930617 or NN86034419 or NN86034482 or NN8804238 or NNRD410137 or NNRD422115). tban. | US-PGPUB; USPAT; DERWENT; IBM_TDB | OR | ON | 2005/05/25 13:40 |

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	709/227.ccls. and (SNA "3270") and telnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:20
L2	19	709/228.ccls. and (SNA "3270") and telnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:21
L3	32	709/223.ccls. and (SNA "3270") and telnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:21
L4	26	709/224.ccls. and (SNA "3270") and telnet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:21
L5	81	1 2 3 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:21
L6	37	5 and (logon login log-on log-in reconnect$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:22